



Rev. **2.00**

Date **03.05.2023**

Note:



A

B

C

D

A

B

C

D

## Easy P57

| Number | Pcs | English name                        | AVA Part number | Note | Kit Part number |
|--------|-----|-------------------------------------|-----------------|------|-----------------|
| 1      | 1   | Screw ST3*14                        | 95-100-618      |      |                 |
| 2      | 1   | Knob housing Easy                   | 95-100-841      |      |                 |
| 3      | 1   | Clen Front cover Easy P75           | 95-100-912      |      |                 |
| 4      | 1   | Hose reel frame 1 Easy              | 95-100-843      |      |                 |
| 5      | 1   | Front housing baffle Easy           | 95-100-844      |      |                 |
| 6      | 1   | Clen Switch knob Easy               | 95-100-913      |      |                 |
| 7      | 1   | Switch box kit Easy (2x1.0) EU      | 95-100-846      |      | 95-100-846      |
| 7-1    | 1   | AQT33-10 switch box down case       | 95-100-212      |      | 95-100-846      |
| 7-2    | 1   | WS-switch-box-shaft                 | 95-100-215      |      | 95-100-846      |
| 7-3    | 1   | O-ring (8*2 NBR 60)                 | 95-100-216      |      | 95-100-846      |
| 7-4    | 1   | ON/OFF switch                       | 95-100-214      |      | 95-100-846      |
| 7-5    | 1   | Micro switch Go                     | 95-100-209      |      | 95-100-846      |
| 7-6    | 1   | Slider                              | 95-100-208      |      | 95-100-846      |
| 7-7    | 1   | Capacitor 0.33uF                    | 95-100-210      |      | 95-100-846      |
| 7-8    | 1   | motor wires with inductor           | 95-100-213      |      | 95-100-846      |
| 7-9    | 1   | Power cord w square Easy (2x1.0) EU | 95-100-847      |      | 95-100-846      |
| 7-10   | 1   | AQT33-10 switch box up case         | 95-100-217      |      | 95-100-846      |
| 7-11   | 5   | Screw ST2. 9*12                     | 95-100-218      |      | 95-100-846      |
| 8      | 1   | Waterproofing ring Easy             | 95-100-848      |      |                 |
| 9      | 1   | Water inlet Easy                    | 95-100-849      |      |                 |
| 10     | 1   | Inlet waterproofing cover Easy      | 95-100-850      |      |                 |
| 11     | 2   | U-pin for pump inlet connector      | 95-100-186      |      |                 |
| 12     | 1   | U-pin for pump outlet extension     | 95-100-184      |      |                 |
| 13     | 37  | Screw ST4. 8*16                     | 95-100-294      |      |                 |
| 14     | 1   | Pump Head Bracket Easy              | 95-100-851      |      |                 |
| 15     | 1   | Water inlet filter transparent kit  | 95-100-180      |      |                 |
| 16     | 2   | Wheel cover Easy                    | 95-100-852      |      |                 |
| 17     | 2   | Wheel axle Easy                     | 95-100-853      |      |                 |
| 18     | 2   | Screw ST4. 8*16                     | 95-100-294      |      |                 |
| 19     | 2   | Wheel Easy                          | 95-100-854      |      |                 |
| 20     | 1   | Motor waterproofing cover Easy      | 95-100-855      |      |                 |
| 21     | 1   | Handle swivel bolt Easy             | 95-100-856      |      |                 |
| 22     | 1   | Carrying handle Easy                | 95-100-857      |      |                 |
| 23     | 1   | Clen Carrying handle cover Easy     | 95-100-914      |      |                 |
| 24     | 1   | Clen Handle top cover Easy          | 95-100-915      |      |                 |
| 25     | 1   | Handle main body Easy               | 95-100-860      |      |                 |
| 26     | 1   | Clen Foam cannon holder Easy        | 95-100-916      |      |                 |
| 27     | 1   | U-pin for pump inlet connector      | 95-100-186      |      |                 |
| 28     | 1   | Handle lock back cover Easy         | 95-100-863      |      |                 |
| 29     | 1   | Hose reel frame 2 Easy              | 95-100-864      |      |                 |
| 30     | 1   | Handle back cover Easy              | 95-100-865      |      |                 |
| 31     | 2   | Screw 4x16                          | 95-100-866      |      |                 |
| 32     | 1   | Square alu tube for handle Easy     | 95-100-867      |      |                 |
| 33     | 1   | Handle swivel block Easy            | 95-100-868      |      |                 |
| 34     | 2   | Clen Cable hook Easy                | 95-100-917      |      |                 |
| 35     | 2   | Screw 4,8x16 Special big head       | 95-100-870      |      |                 |

|       |   |                                       |            |  |            |
|-------|---|---------------------------------------|------------|--|------------|
| 36    | 1 | Push button spring Easy               | 95-100-871 |  |            |
| 37    | 1 | Spring lock Easy                      | 95-100-872 |  |            |
| 38    | 1 | Clen Push button cap Easy             | 95-100-918 |  |            |
| 39    | 1 | Reel panel Easy                       | 95-100-874 |  |            |
| 40    | 1 | O-ring (8*1.8 NBR 90)                 | 95-100-425 |  |            |
| 41    | 1 | Brass axle water outlet Easy          | 95-100-875 |  |            |
| 42    | 2 | O-ring (8.5*2 NBR 90)                 | 95-100-161 |  |            |
| 43    | 1 | Reel center hub                       | 95-100-876 |  |            |
| 44    | 1 | Hose reel inner Easy                  | 95-100-877 |  |            |
| 45    | 1 | Hose reel outer Easy                  | 95-100-878 |  |            |
| 46    | 1 | Square head quick connector           | 95-100-521 |  |            |
| 47    | 1 | Quick connector spring Easy           | 95-100-879 |  |            |
| 48    | 1 | Clen Quick connector cover Easy       | 95-100-919 |  |            |
| 49    | 1 | Clen Crank lock pin Easy              | 95-100-920 |  |            |
| 50    | 1 | Clen Hose reel crank Easy             | 95-100-921 |  |            |
| 51    | 1 | E-clip 10mm w. tab                    | 95-100-883 |  |            |
| 52    | 1 | Clen Hose guide back Easy             | 95-100-922 |  |            |
| 53    | 1 | Clen Hose guide front Easy            | 95-100-923 |  |            |
| 54    | 1 | Hose stop Easy                        | 95-100-886 |  |            |
| 55    | 1 | Main frame Easy                       | 95-100-887 |  |            |
| 56    |   |                                       |            |  |            |
| 56-1  | 3 | Piston return spring(ID)              | 95-100-145 |  | 95-100-689 |
| 56-2  | 3 | Piston 12mm                           | 95-100-207 |  | 95-100-689 |
| 56-3  | 3 | Piston spring lock                    | 95-100-206 |  | 95-100-689 |
| 56-4  | 1 | Bearing 51105                         | 95-100-491 |  |            |
| 56-5  | 1 | Wobble plate 11.2°                    | 95-100-439 |  | 95-100-435 |
| 56-6  | 1 | Bearing 6303                          | 95-100-204 |  | 95-100-435 |
| 56-7  | 1 | Oil sealing (17*30*7)                 | 95-100-138 |  | 95-100-435 |
| 56-8  | 1 | Oil tank                              | 95-100-203 |  | 95-100-435 |
| 56-9  | 1 | O-ring (63*2.65 NBR 80)               | 95-100-202 |  | 95-100-435 |
| 56-10 | 1 | Gear shaft                            | 95-100-141 |  | 95-100-435 |
| 56-11 | 1 | Gear with 50 teeth                    | 95-100-201 |  | 95-100-435 |
| 56-12 | 1 | Bearing 629                           | 95-100-200 |  | 95-100-435 |
| 56-13 | 1 | Motor 9650+                           | 95-100-245 |  |            |
| 56-14 | 4 | Screw with gasket M6*25 (8.8)         | 95-100-198 |  | 95-100-435 |
| 56-15 | 1 | O-ring (61.5*2 NBR 80)                | 95-100-147 |  |            |
| 56-16 | 1 | Piston guide                          | 95-100-197 |  | 95-100-689 |
| 56-17 | 3 | Oil sealing 12x20x5,5                 | 95-100-196 |  | 95-100-689 |
| 56-18 | 3 | Water in and outlet valve seat        | 95-100-195 |  | 95-100-689 |
| 56-19 | 3 | Screw M6*20(8.8)                      | 95-100-149 |  | 95-100-689 |
| 56-20 | 3 | Water sealing (12*18*5.1)             | 95-100-193 |  | 95-100-578 |
| 56-21 | 1 | V3 Pump body                          | 95-100-492 |  | 95-100-578 |
| 56-22 | 6 | Water in and outlet valve (9.5mm)     | 95-100-362 |  | 95-100-578 |
| 56-24 | 1 | Outlet one way valve housing kit ;red | 95-100-154 |  | 95-100-454 |
| 56-25 | 1 | SF03 Outlet one way valve kit;white   | 95-100-155 |  | 95-100-454 |
| 56-26 | 1 | Outlet one way valve spring;Φ5.3*9    | 95-100-156 |  | 95-100-454 |
| 56-27 | 1 | Big triangle NBR90                    | 95-100-157 |  | 95-100-822 |
| 56-28 | 1 | Pump head External thread             | 95-100-821 |  | 95-100-822 |
| 56-29 | 1 | Auto s/s valve seat kit Red 2.7       | 95-100-233 |  | 95-100-822 |
| 56-30 | 1 | O-ring (8.5*2 NBR 90)                 | 95-100-161 |  | 95-100-822 |

|       |   |                            |            |  |            |
|-------|---|----------------------------|------------|--|------------|
| 56-31 | 1 | Auto s/s valve             | 95-100-162 |  | 95-100-822 |
| 56-32 | 1 | Auto s/s spring            | 95-100-164 |  | 95-100-822 |
| 56-33 | 1 | O-ring (3.5*1.8 NBR 90)    | 95-100-166 |  | 95-100-822 |
| 56-34 | 1 | 2022 Auto plug             | 95-100-820 |  | 95-100-822 |
| 56-35 | 1 | O-ring (12.2*1.9 NBR 90)   | 95-100-353 |  | 95-100-822 |
| 56-36 | 1 | 2022 Auto plug sleve       | 95-100-819 |  | 95-100-822 |
| 56-37 | 1 | Overflow washer plastic    | 95-100-165 |  | 95-100-822 |
| 56-38 | 1 | Overflow washer            | 95-100-163 |  | 95-100-822 |
| 56-39 | 3 | Screw M6*60(8.8)           | 95-100-232 |  | 95-100-822 |
| 56-40 | 1 | Plug for injector hole kit | 95-100-188 |  | 95-100-822 |
| 56-41 | 1 | Motor filter               | 95-100-194 |  |            |
| 56-42 | 1 | Grease Shell alvania RL3   | 95-100-889 |  |            |
| 56-43 | 1 | LHM 46 Non detergent oil   | 95-100-890 |  |            |
| 57    | 1 | Motor fixing bracket Easy  | 95-100-891 |  |            |
| 58    | 1 | Motor Cover Easy           | 95-100-892 |  |            |
| 59    | 1 | Clen Flex hose 12M         | 95-100-924 |  |            |
| 60    | 1 | Water filter poly          |            |  |            |

### Easy P57 kits

|      | 1 | Switch box kit Easy                 | 95-100-846 | Fits Easy |            |
|------|---|-------------------------------------|------------|-----------|------------|
| 7    | 1 | Switch box kit Easy (2x1.0) EU      | 95-100-846 |           | 95-100-846 |
| 7-1  | 1 | AQT33-10 switch box down case       | 95-100-212 |           | 95-100-846 |
| 7-2  | 1 | WS-switch-box-shaft                 | 95-100-215 |           | 95-100-846 |
| 7-3  | 1 | O-ring (8*2 NBR 60)                 | 95-100-216 |           | 95-100-846 |
| 7-4  | 1 | ON/OFF switch                       | 95-100-214 |           | 95-100-846 |
| 7-5  | 1 | Micro switch Go                     | 95-100-209 |           | 95-100-846 |
| 7-6  | 1 | Slider                              | 95-100-208 |           | 95-100-846 |
| 7-7  | 1 | Capacitor 0.33uF                    | 95-100-210 |           | 95-100-846 |
| 7-8  | 1 | motor wires with inductor           | 95-100-213 |           | 95-100-846 |
| 7-9  | 1 | Power cord w square Easy (2x1.0) EU | 95-100-847 |           | 95-100-846 |
| 7-10 | 1 | AQT33-10 switch box up case         | 95-100-217 |           | 95-100-846 |
| 7-11 | 5 | Screw ST2. 9*12                     | 95-100-218 |           | 95-100-846 |

|       | 1 | V3 P40 Oil tank kit           | 95-100-435 | Fits Easy P40 |            |
|-------|---|-------------------------------|------------|---------------|------------|
| 56-5  | 1 | Wobble plate 11.2°            | 95-100-439 |               | 95-100-435 |
| 56-6  | 1 | Bearing 6303                  | 95-100-204 |               | 95-100-435 |
| 56-7  | 1 | Oil sealing (17*30*7)         | 95-100-138 |               | 95-100-435 |
| 56-8  | 1 | Oil tank                      | 95-100-203 |               | 95-100-435 |
| 56-9  | 1 | O-ring (63*2.65 NBR 80)       | 95-100-202 |               | 95-100-435 |
| 56-10 | 1 | Gear shaft                    | 95-100-141 |               | 95-100-435 |
| 56-11 | 1 | Gear with 50 teeth            | 95-100-201 |               | 95-100-435 |
| 56-12 | 1 | Bearing 629                   | 95-100-200 |               | 95-100-435 |
| 56-14 | 4 | Screw with gasket M6*25 (8.8) | 95-100-198 |               | 95-100-435 |

|       | 1 | V3 piston kit            | 95-100-689 | Fits Easy P40-45-50-55 |            |
|-------|---|--------------------------|------------|------------------------|------------|
| 56-1  | 3 | Piston return spring(ID) | 95-100-145 |                        | 95-100-689 |
| 56-2  | 3 | Piston 12mm              | 95-100-207 |                        | 95-100-689 |
| 56-3  | 3 | Piston spring lock       | 95-100-206 |                        | 95-100-689 |
| 56-16 | 1 | Piston guide             | 95-100-197 |                        | 95-100-689 |

|       |   |                                |            |  |            |
|-------|---|--------------------------------|------------|--|------------|
| 56-17 | 3 | Oil sealing 12x20x5,5          | 95-100-196 |  | 95-100-689 |
| 56-18 | 3 | Water in and outlet valve seat | 95-100-195 |  | 95-100-689 |
| 56-19 | 3 | Screw M6*20(8.8)               | 95-100-149 |  | 95-100-689 |

| 1     |   | V3 Pump body kit B        | 95-100-578 | Fits Smart P50-55-60                                      |            |
|-------|---|---------------------------|------------|-----------------------------------------------------------|------------|
| 56-20 | 3 | Water sealing (12*18*5.1) | 95-100-193 | Can be replaced w. 95-100-438 in combination w 95-100-433 | 95-100-578 |
| 56-21 | 1 | V3 Pump body              | 95-100-492 | Can be replaced w. 95-100-438 in combination w 95-100-433 | 95-100-578 |
| 56-22 | 6 | One way valve kit         | 95-100-234 | Can be replaced w. 95-100-438 in combination w 95-100-433 | 95-100-578 |

| 1     |   | V3 Main valve kit B                   | 95-100-454 | Fits Smart P50-55                                         |            |
|-------|---|---------------------------------------|------------|-----------------------------------------------------------|------------|
| 56-24 | 1 | Outlet one way valve housing kit ;red | 95-100-154 | Can be replaced w. 95-100-438 in combination w 95-100-438 | 95-100-454 |
| 56-25 | 1 | SF03 Outlet one way valve kit;white   | 95-100-155 | Can be replaced w. 95-100-438 in combination w 95-100-438 | 95-100-454 |
| 56-26 | 1 | Outlet one way valve spring;Φ5.3*9    | 95-100-156 | Can be replaced w. 95-100-438 in combination w 95-100-438 | 95-100-454 |

| 1     |   | V3 P40-50-55 pump head kit Ver.2 | 95-100-822 | Fits Go P40-50-55 |            |
|-------|---|----------------------------------|------------|-------------------|------------|
| 56-27 | 1 | Big triangle NBR90               | 95-100-157 | -                 | 95-100-822 |
| 56-28 | 1 | Pump head External thread        | 95-100-821 | -                 | 95-100-822 |
| 56-29 | 1 | Auto s/s valve seat kit Red 2.7  | 95-100-233 | -                 | 95-100-822 |
| 56-30 | 1 | O-ring 8.5*2 NBR90               | 95-100-161 | -                 | 95-100-822 |
| 56-31 | 1 | Auto s/s valve                   | 95-100-162 | -                 | 95-100-822 |
| 56-32 | 1 | Auto s/s spring                  | 95-100-164 | -                 | 95-100-822 |
| 56-33 | 1 | O-ring 3.5*1.8 NBR90             | 95-100-166 | -                 | 95-100-822 |
| 56-34 | 1 | 2022 Auto plug                   | 95-100-820 | -                 | 95-100-822 |
| 56-35 | 1 | O-ring 12.2*1.9 NBR90            | 95-100-353 | -                 | 95-100-822 |
| 56-36 | 1 | 2022 Auto plug sleve             | 95-100-819 | -                 | 95-100-822 |
| 56-37 | 1 | Overflow washer plastic          | 95-100-165 | -                 | 95-100-822 |
| 56-38 | 1 | Overflow washer                  | 95-100-163 | -                 | 95-100-822 |
| 56-39 | 3 | Screw M6*60(8.8)                 | 95-100-232 | -                 | 95-100-822 |
| 56-40 | 1 | Plug for injector hole kit       | 95-100-188 | -                 | 95-100-822 |